Scientific production by Silvano ROMANO

Published papers

001) S. Romano and I. R. Mc Donald,
Physica **67**, 625–630 (1973):
Monte Carlo computations for molten potassium chloride based on the Pauling potential.

002) S. Romano, C. Margheritis and C. Sinistri,
Zeitschrift für Naturforschung A **29**, 1202–1205 (1974):
Interionic potentials for some alkali halides from crystal data measured at different temperatures.

003) S. Romano and C. Margheritis,
Physica **77**, 557–562 (1974):
Monte Carlo computations for some simple models accounting for ionic polarization in potassium chloride.

004) S. Romano,
Zeitschrift für Naturforschung A **29**, 1631–1635 (1974):
Monte Carlo simulation of a classical quadrupole solid.

005) S. Romano,
Zeitschrift für Naturforschung A **31**, 1108–1112 (1976):
Monte Carlo simulation of nitrogen.

006) S. Romano,
Zeitschrift für Naturforschung A **32**, 485–489 (1977):
Molecular Dynamics simulation of solid $\alpha-$nitrogen.

007) S. Romano,
Zeitschrift für Naturforschung A **32**, 1320–1322 (1977):
Monte Carlo simulation of a two-dimensional dipolar lattice.

008a) S. Romano and E. Clementi,
Gazzetta Chimica Italiana **108**, 319–328 (1978):
Monte Carlo simulation of the interaction between water solvent and biomolecules: glycine and the corresponding zwitterion.
(Prsented at the Ninth Conference of Theoretical Chemists of Latin Expression, Stresa, Italy, approx. September 03 to September 09, 1978; see also `http://www.quitel2012.com`)

008b) S. Romano and E. Clementi,
International Journal of Quantum Chemistry **14**, 839–850 (1978):
Monte Carlo simulation of water solvent with biomolecules: glycine and the corresponding zwitterion.

009) E. Clementi, G. Corongiu, B. Jönsson and S. Romano,
F.E.B.S. Letters **100**, 313–317 (1979):
The water structure in the active cleft of human Carbonic Anhydrase B: a Monte Carlo simulation.

010) S. Romano and K. Singer,
Molecular Physics **37**, 1765–1772 (1979):
Calculation of the entropy of liquid chlorine and bromine by computer simulation.

011) E. P. Gibson, G. R. Mant, R. Narayanaswamy, A. J. Rest, S. Romano, K. Salisbury and J. R. Sodeau,
Journal of the Chemical Society - Faraday Transactions II **75**, 1179–1184 (1979):
Quenching of the $^3B_{1g} \rightarrow {}^1A_{1u}$ emission of benzene in low-temperature matrices at 10 K.

012) E. Clementi, G. Corongiu, B. Jönsson and S. Romano,
Journal of Chemical Physics **72**, 260–263 (1980):
Monte Carlo simulation of water clusters around Zn^{2+} and a linear $Zn^{2+} \cdot CO_2$ complex.

013) S. Romano and E. Clementi,
International Journal of Quantum Chemistry **17**, 1007–1029 (1980):
Monte Carlo simulation of water solvent with biomolecules: serine and the corresponding zwitterion.

014) E. Clementi, G. Corongiu, B. Jönsson and S. Romano,
Gazzetta Chimica Italiana **109**, 669–681 (1979):
Comments on the enzymatic reaction $H_2O + CO_2$ in Carbonic Anhydrase.

015) E. Clementi, H. Kistenmacher, W. Kołos and S. Romano,
Theoretica Chimica Acta **55**, 257–266 (1980):
Non-additivity of water-ion-water interactions.

016) G. R. Luckhurst and S. Romano,
Molecular Physics **40**, 129–139 (1980):
Computer simulation studies of anisotropic systems; II: uniaxial and biaxial nematics formed by non-cylindrically symmetric molecules.

017) S. Romano and E. W. Lee,
Journal of Magnetism and Magnetic Materials **21**, 139–142 (1980):
Magnetic dipole energies in tetragonally-distorted cubic crystals.

018) G. R. Luckhurst and S. Romano,
Proceedings of the Royal Society of London A **373**, 111–130 (1980):
Computer simulation studies of anisotropic systems; IV: the effect of translational freedom.

019) B. Jönsson, G. Karlström and S. Romano,
Journal of Chemical Physics **74**, 2896–2903 (1981):
Monte Carlo simulation of liquid and solid nitrogen based on an ab-initio MO-LCAO-SCF-CI potential.

020) R. L. Humphries, G. R. Luckhurst and S. Romano,
Molecular Physics **42**, 1205–1217 (1981):
Computer simulation studies of anisotropic systems; V: Nematics formed by cylindrically symmetric particles interacting via dispersion forces.

021) S. Romano,
International Journal of Quantum Chemistry **20**, 921–926 (1981):
Monte Carlo simulation of water solvent with biomolecules: serines with reaction-field correction.

021A) S. Romano,
Inorganica Chimica Acta **40**, X40–X41 (1980):
Successive approximations in the quantum–chemical and statistical–mechanical study of aqueous solutions, particularly with biomolecule solutes.
(Presented at the V International Symposium on Solute-Solute-Solvent Interactions, Florence, Italy, June 2–6, 1980)

022) G. R. Luckhurst, S. Romano and P. Simpson,
Chemical Physics **73**, 337–348 (1982):
Computer simulation studies of anisotropic systems; IX: the Mayer-Saupe theory for nematic liquid crystals and the molecular-field approximation.

023) S. Romano, B. Jönsson and G. Karlström,
International Journal of Quantum Chemistry **23**, 991–998 (1983):
Monte-Carlo simulation of solid nitrogen in the isothermal-isobaric ensemble with an ab-initio SCF-CI potential.

024) G. Ranghino, E. Clementi and S. Romano,
Biopolymers **22**, 1449–1460 (1983):
Lysinium, argininium, glutamate and Aspartate ions in water solution.

025) B. Jönsson, S. Romano and G. Karlström,
International Journal of Quantum Chemistry **25**, 503–514 (1984):
Quantum-mechanical and statistical mechanical study of the the torsional barrier of H_2O_2 in aqueous solution.

025A) S. Romano,
Inorganica Chimica Acta **79**, 59–60 (1983):
Some remarks on solvent and conformational effects.
(Presented at the First International Conference on Bioinorganic Chemistry, Florence, Italy, 13–17 June, 1983; the Conference is mentioned in “Pure and Applied Chemistry", vol. 55, issue 7 (1983))

026) S. Romano,
Nuovo Cimento B **83**, 188–200 (1984):
Computer simulation study of a long-ranged Ising antiferromagnet in one dimension.

027) R. Hashim, G. R. Luckhurst and S. Romano,
Molecular Physics **53**, 1535–1539 (1984):

Computer simulation studies of anisotropic systems; XII: mixtures of rods and plates - a biaxial nematic ?

028) S. Romano,
Nuovo Cimento B **89**, 1–13 (1985):
Computer simulation study of a long-ranged Ising antiferromagnet in one dimension; II: inverse-square power law.

029) G. Ranghino, S. Romano, J. M. Lehn and G. Wipff,
Journal of the American Chemical Society **107**, 7873–7877 (1985):
Monte Carlo study of the conformation-dependent hydration of the 18-crown-6 macrocycle.

030) R. Hashim, G. R. Luckhurst and S. Romano,
Molecular Physics **56**, 1217–1234 (1985):
Computer simulation studies of anisotropic systems; XIII: the orientational ordering of biaxial particles dissolved in a nematic liquid crystal.

031) R. Hashim, G. R. Luckhurst and S. Romano,
Liquid Crystals **1**, 133–146 (1986):
Computer simulation studies of anisotropic systems; XIV: binary mixtures of liquid crystals.

032) S. Romano,
Nuovo Cimento D **7**, 717–733 (1986):
Computer simulation study of a simple-cubic dipolar lattice.

033) S. Romano,
Europhysics Letters **2**, 431–436 (1986):
Computer simulation study of the singlet orientational distribution function for a model antiferroelectric nematic.

034) S. Romano,
Nuovo Cimento D **9**, 409–430 (1987):
Computer simulation study of a two-dimensional dipolar lattice.

035) S. Romano,
Nuovo Cimento B **100**, 447–466 (1987):
Computer simulation study of a long-range plane rotator system in two dimensions.

036) S. Romano,
Liquid Crystals **3**, 323–336 (1988):
Dipolar and dispersion interactions in nematogens: a computer simulation study.

037) S. Romano,
Liquid Crystals **3**, 1215–1229 (1988):
Computer simulation study of a onedimensional plane rotator system with long-range interactions.

038) S. Romano,

Nuovo Cimento D **10**, 1459–1472 (1988):
Monte Carlo simulation of a disordered long-range plane rotator system in one dimension.

039) S. Romano,
Liquid Crystals **4**, 483–495 (1989):
Monte Carlo simulation of a one-dimensional classical Heisenberg model with long-range interactions.

040) S. Romano,
Physical Review B **40**, 4970–4974 (1989):
Monte Carlo simulation of a disordered classical Heisenberg system in one dimension and with long-range ferromagnetic interactions.

041) S. Romano,
Liquid Crystals **6**, 457–466 (1989):
Monte Carlo simulation of a two-dimensional anisotropic plane- rotator model.

042) S. Romano,
Liquid Crystals **6**, 609–618 (1989):
Monte Carlo simulation of disordered one dimensional systems with long range antiferromagnetic interactions.

043) R. Hashim, G. R. Luckhurst and S. Romano,
Proceedings of the Royal Society of London A **429**, 323–339 (1990):
Computer simulation studies of anisotropic systems, XVIII: Re-entrant phase separation in nematogenic mixtures of cylindrical and spherical particles.

044) S. Romano,
Physical Review B **42**, 6739–6742 (1990):
One - dimensional lattice spin models with long - range antiferromagnetic interactions.

045) S. Romano,
Physical Review B **42**, 8647–8650 (1990):
Computer simulation study of a disordered plane-rotator system in two dimensions with long-range ferromagnetic interactions.

046) S. Romano,
Liquid Crystals **10**, 73–83 (1991):
One dimensional classical spin models with long range anisotropic interactions: an extreme nematogenic lattice model.

047) S. Romano,
Physical Review B **44**, 7066–7069 (1991):
Two - dimensional - lattice spin models with long - range antiferromagnetic interactions.

048) S. Romano,
Physical Review B **45**, 1037–1040 (1992):

Computer simulation study of a disordered classical spin system in one dimension with long - range anisotropic ferromagnetic interactions.

049) S. Romano,
"Pair potentials and simulation of nematic mesophases"
in "Physics of liquid crystalline materials"
edited by I. - C. Khoo and F. Simoni
(chapter III, pages 65 to 79)
Gordon and Breach (Philadelphia, 1991);
ISBN 2–88124–481–5

050) S. Romano,
Liquid Crystals **12**, 641–648 (1992):
Computer simulation study of plane rotators on a three dimensional lattice .

051) S. Romano,
Physical Review B **46**, 5420–5424 (1992):
Computer simulation study of a disordered classical Heisenberg system in two dimensions with long-range isotropic ferromagnetic interactions.

052) S. Romano,
Physical Review B **47**, 15068–15072 (1993):
Long-range anisotropic antiferromagnetic interactions in one-dimensional classical lattice spin models.

053) R. Hashim , G. R. Luckhurst , F. Prata and S. Romano ,
Liquid Crystals **15**, 283–309 (1993):
Computer simulation studies of anisotropic systems , XXII . An equimolar mixture of rods and discs : a biaxial nematic ?

054) S. Romano,
Physical Review B **49**, 12287–12290 (1994):
Computer simulation study of a three-dimensional lattice-spin model with dipolar-type interactions.

055) S. Romano,
Liquid Crystals **16**, 1015–1025 (1994):
Study of an anisotropic lattice model with interactions of rank higher than four.

056) S. Romano,
Physica Scripta **50**, 326–332 (1994):
Computer simulation study of a two-dimensional lattice spin model with interactions of dipolar type

057) S. Romano,
International Journal of Modern Physics B **8**, 3389–3410 (1994):

Computer simulation study of a three-dimensional lattice spin model with anti-nematic interactions.

058) S. Romano,
International Journal of Modern Physics B **9**, 85–102 (1995):
On a mapping between hard-core potential models for nematogens and continuous ones.

059) N. Angelescu, S. Romano, and V. A. Zagrebnov,
Physics Letters A **200**, 433–437 (1995):
On long-range order in low-dimensional lattice-gas models of nematic liquid crystals.

060) N. Angelescu, S. Romano, and V. A. Zagrebnov,
International Journal of Modern Physics B **9**, 859–873 (1995):
Computer simulation study of a two-dimensional nematogenic lattice model with long-range interactions isotropic in spin space.

061) R. Hashim, G. R. Luckhurst, and S. Romano,
Journal of the Chemical Society - Faraday Transactions **91**, 2141–2148 (1995):
Computer simulation studies of anisotropic systems. XXIV. Constant pressure investigations of the smectic B phase of the Gay-Berne mesogen.

062) S. Romano,
International Journal of Modern Physics B **9**, 3345–3354 (1995):
Computer simulation study of a disordered one-dimensional nematogenic lattice model with long-range interactions isotropic in spin space.

063) S. Romano,
Modern Physics Letters B **9**, 1447–1459 (1995):
Computer simulation study of one-dimensional lattice spin models with long-range inhomogeneous interactions .

064) S. Romano,
International Journal of Modern Physics B **10**, 1095–1109 (1996):
Computer simulation study of lattice spin models in one dimension with long-range inhomogeneous interactions possessing O(2) symmetry.

065) G. R. Luckhurst, S. Romano, and H. B. Zewdie,
Journal of the Chemical Society - Faraday Transactions **92**, 1781–1791 (1996):
Computer simulation studies of anisotropic systems. Part 25 – Chiral nematics, the Dzyaloshinsky-Moriya model.

066) S. Romano,
International Journal of Modern Physics B **10**, 2687–2698 (1996):
Computer simulation study of a classical Heisenberg model in two dimensions with long-range ferromagnetic interactions isotropic in spin space

067) S. Romano,

International Journal of Modern Physics B **11**, 919–928 (1997):
Computer simulation study of a disordered two-dimensional nematogenic lattice model with long-range interactions isotropic in spin space.

068) S. Romano,
International Journal of Modern Physics B **11**, 2043–2056 (1997):
Computer simulation evidence for Berezhinskiĭ-Kosterlitz-Thouless-like transitions in one dimension

069) V. Popa-Nita and S. Romano,
Physical Review E **55**, 7779–7781 (1997):
Influence of undercooling on phase ordering kinetics in nematic liquid crystal.

070) G. R. Luckhurst and S. Romano,
Journal of Chemical Physics **107**, 2557–2572 (1997):
Computer Simulation Studies of Anisotropic Systems, XXVI. Liquid Crystal Dimers: a Generic Model.

070A) R. Hashim, N. Halim, H. Hussain, Z. Jafaar, G. R. Luckhurst, S. Romano, and S. M. Zain,
Proceedings of SPIE - The International Society for Optical Engineering, **3318**, 186–191 (1997):
Computer simulation studies of anisotropic systems XXVII: Phase diagram for a nematic binary mixture.
(Presented at
"Liquid Crystals: Physics, Technology, and Applications", Zakopane, Poland, March 3, 1997;
see also `http://dx.doi.org/10.1117/12.299968`,
where SR's first name is wrongly quoted as "Salvatore")

071) R. Hashim and S. Romano,
International Journal of Modern Physics B **12**, 697–707 (1998):
On a direct estimate of densities of states and partition functions.

072) S. Romano and V. A. Zagrebnov,
Physica A **253**, 483–497 (1998):
Orientational ordering transition in a continuous-spin ferrofluid.

073) S. Romano and V. A. Zagrebnov,
International Journal of Modern Physics B **12**, 1871–1885 (1998):
Computer simulation study of classical spin models in two dimensions with long-range ferromagnetic interactions anisotropic in spin space.

074) S. Romano,
International Journal of Modern Physics B **12**, 2305–2323 (1998):
Elastic constants and pair potentials for nematogenic lattice models.

075) A. V. Zakharov and S. Romano,
Physical Review E **58**, 7428–7434 (1998):
Structural and elastic properties of the dipolar Gay-Berne model.

076) S. Romano,
International Journal of Modern Physics B **13**, 191–205 (1999):
Computer simulation evidence for a Berezhinskii-Kosterlitz-Thouless-like transition in a two-dimensional lattice-gas model.

077) G. R. Luckhurst and S. Romano,
Liquid Crystals **26**, 871–884 (1999):
Computer simulation study of a nematogenic lattice model based on an elastic energy mapping of the pair potential.

078) S. Romano and V. A. Zagrebnov,
Journal of the Physical Society of Japan **68**, 2146–2146 (1999):
Comments on the paper
"Long range order on the classical bilinear-biquadratic exchange hamiltonian"
Akinori TANAKA and Toshihiro IDOGAKI,
Journal of the Physical Society of Japan **67**, 604 (1998).

079) A. V. Zakharov, S. Romano, and A. Maliniak,
Physical Review E **60**, 1142–1145 (1999):
Statistical-mechanical study of the pair correlations for the dipolar Gay-Berne model.

080) R. Hashim and S. Romano,
International Journal of Modern Physics B **13**, 3879–3902 (1999):
Computer simulation study of a nematogenic lattice model based on the Nehring-Saupe interaction potential.

081) S. Romano and R. O. Sokolovskii,
Physical Review B **61**, 11379–11390 (2000):
Plane rotator lattice gas in an external orienting field.

082) S. Romano,
Physical Review B **62**, 1464–1465 (2000):
A comment on the paper
"Effect of long-range interactions on the critical behavior of the continuous Ising model"
E. Bayong and H. T. Diep, Phys. Rev B **59**, 11919 (1999).

083) S. Romano,
International Journal of Modern Physics B **14**, 1195–1207 (2000):
Computer simulation study of a nematogenic lattice-gas model.

084) V. Popa-Nita and S. Romano,
Chemical Physics **264**, 91–99 (2001):
Nematic-Smectic A phase transition in porous media.

085) S. Romano,
International Journal of Modern Physics B **15**, 259–280 (2001):
Mean field, two-site cluster, and computer simulation study of a nematogenic lattice-gas model.

086) S. Romano,
Modern Physics Letters B **15**, 137–155 (2001):
Computer simulation study of a nematogenic lattice-gas model based on the Nehring-Saupe interaction potential.

087) L. Toma, S. Romano, P. Quadrelli, and P. Caramella,
Tetrahedron Letters **42**, 5077–5080 (2001):
Merging of $4 + 2$ and $2 + 4$ cycloaddition paths in the regiospecific dimerization of methacrolein. A case of concerted crypto-diradical cycloaddition.

088) S. Romano,
International Journal of Modern Physics B **16**, 2901–2915 (2002):
Computer simulation study of a nematogenic lattice-gas model with fourth-rank interactions.

089) S. Romano, and V. Zagrebnov,
Journal of Physical Studies **6**, 153–163 (2002):
On lattice-gas spin models with chiral interactions.

090) S. Romano, and V. Zagrebnov,
Physics Letters A **301**, 402-407 (2002):
On the xy model and its generalizations.

091) S. Romano,
Physics Letters A **302**, 203–210 (2002):
Computer simulation study of a two-dimensional nematogenic lattice model based on the Gruhn-Hess interaction potential.

092) P. Quadrelli, S. Romano, L. Toma, and P. Caramella,
Tetrahedron Letters **43**, 8785–8789 (2002):
Merging and bifurcation of $4 + 2$ and $2 + 4$ cycloaddition modes in the archetypal dimerization of butadiene. A case of competing bispericyclic, pericyclic and diradical paths.

093) S. Romano,
Physics Letters A **305**, 196–203 (2002):
Computer simulation study of a two-dimensional nematogenic lattice model based on the Nehring-Saupe interaction potential.

094) V. Popa-Nita, and S. Romano,
Recent Research Developments in Chemical Physics **3**, 165–192 (2002):
ISBN 81–7895–066–9
The influence of a random field on the thermotropic liquid crystals phase transitions.

095) G. R. Luckhurst, and S. Romano,
Physical Chemistry Chemical Physics **5**, 1242–1252 (2003):
Computer simulation studies of anisotropic systems. XXXI. The continuous generic model for liquid crystal dimers.

096) S. Romano,
Physica A **322**, 432–448 (2003):
Computer simulation study of two-dimensional nematogenic lattice models based on dispersion interactions.

097) S. Romano,
Physics Letters A **310**, 465–472 (2003):
Computer simulation study of a two-dimensional nematogenic lattice model based on a mapping from elastic free-energy density.

098) S. Romano,
Physica A **324**, 606–620 (2003):
Mean field and computer simulation study of a nematogenic lattice model including three-body interactions.

099) P. Quadrelli, S. Romano, L. Toma, and P. Caramella,
Journal of Organic Chemistry **68**, 6035–6038 (2003):
A Bispericyclic Transition Structure Allows for Efficient Relief of Antiaromaticity Enhancing Reactivity and Endo Stereoselectivity in the Dimerization of the Fleeting Cyclopentadienone.

100) S. Romano,
Physica A **337**, 505–519 (2004):
Computer simulation of a biaxial nematogenic model on a three-dimensional lattice and based on a recently proposed interaction potential.

101) S. Romano,
Physica A **339**, 491–510 (2004):
Computer simulation study of a biaxial nematogenic lattice model associated with a twodimensional lattice.

102) S. Romano,
Physica A **339**, 511–530 (2004):
Computer simulation study of a biaxial nematogenic lattice model associated with a three-dimensional lattice and involving dispersion interactions.

103) S. Romano,
Physics Letters A **333**, 110–119 (2004):
Mean-field and computer simulation study of a biaxial nematogenic lattice model mimicking shape amphiphilicity.

104) S. Romano, and D. Sommacal,
European Physical Journal D **32**, 45–49 (2005):
Some remarks on generalised multipole expansions.

105) P. Caramella, P. Quadrelli, L. Toma, S. Romano, K. S. Khuong, B. Northrop,
and K. N. Houk,
Journal of Organic Chemistry **70**, 2994–3008 (2005):

The Three Corrugated Surfaces of 1,4-Divinyltetramethylene Diradical Intermediates and Their Connections to 1,2-Divinylcyclobutane, 4-Vinylcyclohexene, 1,5-Cyclooctadiene, and Two Butadienes

106) L. Longa, P. Grzybowski, S. Romano, and E. Virga,
Physical Review E **71**, 051714 (2005) (p. 01–13); **73**, 019904 (2006) (erratum) (p. 01–01):
Minimal coupling model of the biaxial nematic phase.

107) H. Chamati, and S. Romano,
Physical Review B **72**, 064424 (2005) (p. 01-10):
Classical Heisenberg lattice-gas model: Thermodynamics and phase diagrams.

108) H. Chamati, and S. Romano,
Physical Review B **72**, 064444 (2005) (p. 01–10):
Two-dimensional lattice gas models with extremely anisotropic spin interactions.

109) H. Chamati, S. Romano, L. A. S. Mól, and A. R. Pereira,
Europhysics Letters **72**, 62–68 (2005):
Three dimensional generalized xy models: a Monte Carlo study.

110) G. De Matteis, S. Romano, and E.G. Virga,
Physical Review E **72**, 041706 (2005) (p. 01–13):
Bifurcation analysis and computer simulation of biaxial liquid crystals.

111) L. V. Mirantsev, and S. Romano,
Liquid Crystals **33**, 187–194 (2006):
Molecular dynamics simulation of polymer dispersed liquid crystal droplets under competing boundary conditions.

112) S. Romano,
Physical Review E **73**, 042701 (2006) (p. 01–02):
Topological transitions in two-dimensional lattice spin models.

113) H. Chamati, and S. Romano,
Physical Review B **73**, 184424 (2006) (p. 01–06):
Berezinskii-Kosterlitz-Thouless transition in two-dimensional lattice gas models.

114) L. A. S. Mól, A. R. Pereira, H. Chamati, and S. Romano,
European Physical Journal B **50**, 541–548 (2006):
Monte Carlo study of 2D generalized XY-models.

115) A. C. D. van Enter, S. Romano, and V. A. Zagrebnov,
Journal of Physics A **39**, L439–L445 (2006):
First-order transitions for some generalized XY models.

116) S. Romano,
Physical Review E **74**, 011704 (2006) (p. 01–06):

Computer simulation study of a simple cubatic mesogenic lattice model.

117) H. Chamati, and S. Romano,
European Physical Journal B **54**, 249–254 (2006):
Phase transitions in three dimensional generalized xy models.

118) P. Quadrelli, M. Mella, A. Piccanello, S. Romano, and P. Caramella,
Journal of Organic Chemistry **72**, 1807–1810 (2007):
Variable Markovnikov orientation and "cis effect" in ene reactions of nitrosocarbonyl intermediates.

119) F. Bisi, S. Romano, and E. G. Virga,
Physical Review E **75**, 041705 (2007) (p. 01–11):
Uniaxial rebound at the nematic biaxial transition.

120) H. Chamati, and S. Romano,
Physical Review B **75**, 184413 (2007) (p. 01–09):
First-order phase transitions in classical lattice gas spin models.

121) A. V. Zakharov, A. A. Vakulenko, and S. Romano,
Journal of Chemical Physics **128**, 074905 (2008) (p. 01–09):
Pretransitional anomalies in the orientational dynamics induced by temperature gradient in nematic hybrid-oriented cells.

122) S. Romano,
Physical Review E **77**, 021704 (2008) (p. 01–08):
Computer simulation study of a simple tetrahedratic mesogenic lattice model.

123) H. Chamati, and S. Romano,
Physical Review E **77**, 051704 (2008) (p. 01–07):
Topological transitions in two-dimensional lattice models of liquid crystals.

124) G. De Matteis, and S. Romano,
Physical Review E **78**, 021702 (2008) (p. 01–20):
Biaxial and uniaxial phases produced by partly repulsive mesogenic models
involving D_{2h} molecular symmetries.

125) P. Quadrelli, S.Romano, A. Piccanello, and P. Caramella,
Journal of Organic Chemistry **74**, 2301–2310 (2009):
The remarkable cis effect in the ene reactions of nitrosocarbonyl intermediates

126) G. De Matteis, and S. Romano,
Physical Review E **80**, 031702 (2009) (p. 01–14):
Mesogenic lattice models with partly antinematic interactions producing uniaxial nematic phases.

127) A. V. Zakharov, A. A. Vakulenko, and Silvano Romano,
Journal of Chemical Physics **131**, 164902 (2009) (p. 01–06):

Effect of electric field and temperature gradient on the orientational dynamics of liquid crystals in a microvolume cylindrical cavity.

128) A. V. Zakharov, A. A. Vakulenko, and Silvano Romano,
Journal of Chemical Physics **132**, 094901 (2010) (p. 01–08):
Thermal and flexoelectric effects on nematodynamics in a microvolume cylindrical cavity.

129) P. Quadrelli, S.Romano, and P. Caramella,
European Journal of Organic Chemistry 6600–6608 (2010):
Nonbonded interactions tune selectivies in cycloadditions
to 2,3–dioxabicyclo[2,2,2]oct–5–ene.

130) H. Chamati, and S. Romano,
Journal of Physics: Conference Series **253**, 012011 (2010) (p. 01–11):
Interaction anisotropy and random impurities effects on the critical behaviour of ferromagnets.

131) M. Iwamoto, S. Romano, and A. V. Zakharov,
Chemical Physics Letters **502**, 202–206 (2011):
Effective anchoring energy of an organic liquid crystal on a solid surface.

132) Aernout C. D. van Enter, Silvano Romano, and Valentin A. Zagrebnov,
Journal of Physics A **44**, 208001 (2011) (p. 01–02):
Comment on
Phase transition of a two-dimensional generalized XY model.
[Y. Komura, and Y. Okabe,
ibidem **44**, 015002 (2011)]

133) Silvano Romano, and Giovanni De Matteis,
Physical Review E **84**, 011703 (2011) (p. 01–14); **84**, 059903 (E) (2011) (erratum) (p. 01–02):
Orientationally ordered phase produced by fully antinematic interactions: A simulation study

134) A. V. Zakharov, A. A. Vakulenko, and Silvano Romano,
Journal of Non–Newtonian Fluid Mechanics **171-172**, 1–7 (2012):
Thermally excited flow in a microsized liquid crystal cavity

135) Fulvio Bisi, Giovanni De Matteis, and Silvano Romano,
Physical Review E **86**, 020702 (R) (2012); **88**, 039903 (2013) (Publisher's Note), (p=01):
Antinematic orientational order produced by an extreme case of the generalized Straley lattice model

136) Silvano Romano,
EPL (Europhysics Letters) **101**, 36001 (2013):
Comment on "Ordering dynamics of nematic liquid crystals: Monte Carlo simulations"
by Singh Amrita et al.
[ibidem **100**, 36004 (2012)]

137) Fulvio Bisi, Giovanni De Matteis, and Silvano Romano,

Physical Review E **88**, 032502 (2013):
Calamitic and antinematic orientational order produced by the generalized Straley lattice model

138) Silvano Romano,
Russian Journal of Physical Chemistry A **87**, 2112 (2013):
A comment on the paper
“Systems with variable energy, volume and number of particles:
evaluation of partition function and thermodynamic quantities”
by
I. M. Stanković, V. M. Marković, and Lj. Z. Kolar–Anić,
[Russian Journal of Physical Chemistry A **85**, 2257–2263 (2011)]

139) Hassan Chamati, and Silvano Romano,
Physical Review E **90**, 022506 (2014):
Nematic order by thermal disorder in a three–dimensional lattice–spin
model with dipolar–like interactions

140) Silvano Romano,
Physical Review E **91**, 046501 (2015):
Comment on
"Temperature-dependent orientational ordering on a
spherical surface modeled with a lattice spin model"
[A. M. Luo, S. Weng, and P. Ilg,
Physical Review E **90**, 022502 (2014)]

141) Hassan Chamati, and Silvano Romano,
Physical Review E **92**, 012135 (2015):
Classical lattice spin models involving singular interactions isotropic in spin space.

142) Hassan Chamati, and Silvano Romano,
Physical Review E **93**, 052147 (2016):
Nematic order in a simple-cubic lattice-spin model with full-ranged dipolar interactions.

143) Silvano Romano,
Physical Review E **94**, 042702 (2016):
Computer simulation study of a mesogenic lattice model based on long-range dispersion interactions.

Reprints

Paper number 10 has been included in the book
" Simulation of Liquids and Solids - Molecular Dynamics and Monte Carlo Methods in Statistical Mechanics "
edited by G. Ciccotti , D. Frenkel and I. R. Mc Donald ,
North - Holland (Elsevier Science Publishers), Amsterdam , 1987;
ISBN 0–444-87062–8 or 0–444-87061–x (paperback)

Some other conference papers

A01) M. P. Infante Garcia, C. Tomasi, P. Mustarelli, S. Romano, and A. Magistris,
Abstracts book of the XXXIII Italian National Physical Chemistry Conference,
Naples, June 21 to 25, 2004
Influence of the potential parameters on MD simulations of silver borate glasses.

A02) M. P. Infante Garcia, C. Tomasi, P. Mustarelli, S. Romano, and A. Magistris,
Abstracts book of the XIII ICTAC Conference,
Chia Laguna (Cagliari, Italy), September 12 to 19, 2004
Glassy thermal behaviour simulated with simple pair-potential md: influence of the potential parameters.

November 12, 2016